

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	106	700/281	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 06:57
L2	450	700/282	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 06:57
L3	11	I1 and (ultrasonic\$3 or ultrasound\$1 or (ultra adj (sonic\$3 or sound\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 06:59
L4	8	I1 and (ultrasonic\$3 or ultrasound\$1 or (ultra adj (sonic\$3 or sound\$1))) and flow\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:09
L5	9	I1 and (ultrasonic\$3 or ultrasound\$1 or (ultra adj (sonic\$3 or sound\$1))) and flow\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:04
L6	488	(702/45).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:04
L7	340	(702/50).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:04
L8	93	(702/54).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:04
L9	556	(702/60).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:04

L10	242	(702/61).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:04
L11	1262	(73/861).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:04
L12	390	(73/861.25).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:04
L13	60	(702/48).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:04
L14	3282	L6 L7 L8 L9 L10 L11 L12 L13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:04
L15	564	I14 and (ultrasonic\$3 or ultrasound\$1 or (ultra adj (sonic\$3 or sound\$1))) and flow\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:05
L16	60	(702/48).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:08
L17	295	(702/63).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:08
L18	82	I6 and (ultrasonic\$3 or ultrasound\$1 or (ultra adj (sonic\$3 or sound\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:09
L19	36	I7 and (ultrasonic\$3 or ultrasound\$1 or (ultra adj (sonic\$3 or sound\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:09

L20	45	I8 and (ultrasonic\$3 or ultrasound\$1 or (ultra adj (sonic\$3 or sound\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:10
L21	46	I13 and (ultrasonic\$3 or ultrasound\$1 or (ultra adj (sonic\$3 or sound\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:30
L22	181	I18 I19 I20 I21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:12
L23	31	I22 and ((power or energy or electric\$5) with (conserv\$6 or consum\$7 or save\$1 or saving))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:13
L24	185	((ultrasonic\$3 or ultrasound\$1 or (ultra adj (sonic\$3 or sound\$1))) with flometer\$4 or (flow near2 meter\$6) ) and (power with manag\$8) and ((power or energy or electric\$5) with (conserv\$6 or consum\$7 or save\$1 or saving))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:31
L25	11	((ultrasonic\$3 or ultrasound\$1 or (ultra adj (sonic\$3 or sound\$1))) with (flowmeter\$4 or (flow near2 meter\$6))) and (power with manag\$8) and ((power or energy or electric\$5) with (conserv\$6 or consum\$7 or save\$1 or saving))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 07:47
L26	63	((ultrasonic\$3 or ultrasound\$1 or (ultra adj (sonic\$3 or sound\$1))) with (flowmeter\$4 or (flow near2 meter\$6) or flow\$5)) and (power with manag\$8) and ((power or energy or electric\$5) with (conserv\$6 or consum\$7 or save\$1 or saving))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 08:30
L27	63	((ultrasonic\$3 or ultrasound\$1 or (ultra adj (sonic\$3 or sound\$1))) with (flowmeter\$4 or (flow near2 meter\$6) or flow\$5)) and (power with manag\$8) and ((power or energy or electric\$5) with (conserv\$6 or consum\$7 or save\$1 or saving\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:50

L28	27	((ultrasonic\$3 or ultrasound\$1 or (ultra adj (sonic\$3 or sound\$1))) with (flowmeter\$4 or (flow near2 meter\$6) or flow\$5)) and (power with manag\$8) and (((battery or batteries\$1)) with (conserv\$6 or consum\$7 or save\$1 or saving\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 08:17
L29	34	((ultrasonic\$3 or ultrasound\$1 or (ultra adj (sonic\$3 or sound\$1))) with (flowmeter\$4 or (flow near2 meter\$6) or flow\$5)) and ((battery or batteries) with manag\$8) and ((power or energy or electric\$5) with (conserv\$6 or consum\$7 or save\$1 or saving\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 08:25
L30	254	(700/295).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 08:26
L31	743	(713/323).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 08:26
L32	661	(713/324).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 08:27
L33	295	(713/330).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:29
L34	614	(713/340).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 08:27
L35	2075	I30 I31 I32 I33 I34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 08:27
L36	76	((ultrasonic\$3 or ultrasound\$1 or (ultra adj (sonic\$3 or sound\$1))) with (flowmeter\$4 or (flow near2 meter\$6) or flow\$5)) and (power with manag\$8) and ((power or energy or electric\$5) with (reduc\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 08:44

L37	12699	(voltage with converter\$1 with regulat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 08:46
L38	589	((voltage with converter\$1 with regulat\$5) with (control near signal\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 08:47
L39	276	((volt\$6 with converter\$1 with regulat\$5) with (control near signal\$3)) and (volt\$5 with (conserv\$6 or consum\$7 or save\$1 or saving\$1 or reduc\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 08:49
L40	261	((volt\$6 with converter\$1 with regulat\$5) with (control near signal\$3)) and (volt\$5 with reduc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 08:50
L41	137	((volt\$6 with converter\$1 with regulat\$5) with (control near signal\$3)) and (volt\$5 with reduc\$5) and ((power or energy or electric\$5) with (conserv\$6 or consum\$7 or save\$1 or saving\$1 or store\$1 or storing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 08:51
L42	157	((volt\$6 with converter\$1 with regulat\$5) with (control near signal\$3)) and (volt\$5 with reduc\$5) and ((power or energy or electric\$5 or volt\$5 or current) with (conserv\$6 or consum\$7 or save\$1 or saving\$1 or store\$1 or storing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 08:55
L43	30	((volt\$6 with converter\$1 with regulat\$5) with (control near signal\$3)) and (volt\$5 with reduc\$5 with (predetermin\$6 or preset\$7 or threshold\$1 or limit\$1)) and ((power or energy or electric\$5 or volt\$5 or current) with (conserv\$6 or consum\$7 or save\$1 or saving\$1 or store\$1 or storing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 08:57

L44	39	((volt\$6 with converter\$1 with regulat\$5) with (control near signal\$3)) and (volt\$5 with reduc\$5 with (predetermin\$6 or preset\$7 or threshold\$1 or limit\$1 or reference\$1)) and ((power or energy or electric\$5 or volt\$5 or current) with (conserv\$6 or consum\$7 or save\$1 or saving\$1 or store\$1 or storing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 09:11
L45	24	((volt\$6 with converter\$1 with regulat\$5) with (control near signal\$3)) and (volt\$5 with reduc\$5 with (predetermin\$6 or preset\$7 or threshold\$1 or limit\$1 or reference\$1)) and ((power or energy or electric\$5 or volt\$5 or current) with (conserv\$6 or consum\$7 or save\$1 or saving\$1 or store\$1 or storing)) and (load near2 volt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 10:12
L46	37	((volt\$6 with converter\$1 with regulat\$5) with (control near signal\$3)) and (volt\$5 with reduc\$5 with (predetermin\$6 or preset\$7 or threshold\$1 or limit\$1 or reference\$1)) and ((power or energy or electric\$5 or volt\$5 or current) with (conserv\$6 or consum\$7 or save\$1 or saving\$1 or store\$1 or storing)) and (load\$1 with volt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 10:07
L47	59	((volt\$6 with converter\$1 with regulat\$5) with (control near signal\$3)) and (volt\$5 with (reduc\$5 or decreas\$5) with load) and ((power or energy or electric\$5 or volt\$5 or current) with (conserv\$6 or consum\$7 or save\$1 or saving\$1 or store\$1 or storing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 10:56
L48	62	((volt\$6 with converter\$1 with regulat\$5) with (control near signal\$3)) and (volt\$5 with (reduc\$5 or decreas\$5) with load\$3) and ((power or energy or electric\$5 or volt\$5 or current) with (conserv\$6 or consum\$7 or save\$1 or saving\$1 or store\$1 or storing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 11:16

L49	62	((volt\$6 with converter\$1 with regulat\$5) with (control near signal\$3)) and (volt\$5 with (reduc\$5 or decreas\$5) with load\$3) and ((power or energy or electric\$5 or volt\$5 or current) with (conserv\$6 or consum\$7 or save\$1 or saving\$1 or store\$1 or storing)) and (load\$5 with volt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:06
L50	57	((volt\$6 with converter\$1 with regulat\$5) with (control near signal\$3)) and (current with (increas\$6) with load\$3) and ((power or energy or electric\$5 or volt\$5 or current) with (conserv\$6 or consum\$7 or save\$1 or saving\$1 or store\$1 or storing)) and (load\$5 with volt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:04
L51	24	((volt\$6 with converter\$1 with regulat\$5) with (control near signal\$3)) and (current with (increas\$6) with load\$3) and ((power or energy or electric\$5 or volt\$5 or current) with (conserv\$6 or consum\$7 or save\$1 or saving\$1 or store\$1 or storing)) and (load\$5 with volt\$5 with (detect\$5 or sense\$1 or sensing or measur\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:05
L52	23	((volt\$6 with converter\$1 with regulat\$5) with (control near signal\$3)) and (volt\$5 with (reduc\$5 or decreas\$5) with load\$3) and ((power or energy or electric\$5 or volt\$5 or current) with (conserv\$6 or consum\$7 or save\$1 or saving\$1 or store\$1 or storing)) and (load\$5 with volt\$5 with (detect\$5 or sense\$1 or sensing or measur\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:25
L54	1096	(713/320).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:29
L56	0	I54 and ((volt\$6 with converter\$1 with regulat\$5) with (control near signal\$3)) and (volt\$5 with (reduc\$5 or decreas\$5) with load\$3) and (load\$5 with volt\$5 with (detect\$5 or sense\$1 or sensing or measur\$7)) and ((control near signal\$3) with (suppl\$4 or source\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:30

L57	15	((volt\$6 with converter\$1 with regulat\$5) with (control near signal\$3)) and (volt\$5 with (reduc\$5 or decreas\$5) with load\$3) and ((power or energy or electric\$5 or volt\$5 or current) with (conserv\$6 or consum\$7 or save\$1 or saving\$1 or store\$1 or storing)) and (load\$5 with volt\$5 with (detect\$5 or sense\$1 or sensing or measur\$7)) and ((control near signal\$3) with (suppl\$4 or source\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:45
L58	4	((volt\$6 with converter\$1 with regulat\$5) with (control near signal\$3)) and (volt\$5 with (reduc\$5 or decreas\$5) with load\$3) and ((power or energy or electric\$5 or volt\$5 or current) with (conserv\$6 or consum\$7 or save\$1 or saving\$1 or store\$1 or storing)) and (load\$5 with volt\$5 with (detect\$5 or sense\$1 or sensing or measur\$7)) and ((control near signal\$3) with (suppl\$4 or source\$1) with (adjust\$6 or vary\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:47
L59	3	((ultrasonic\$3 or ultrasound\$1 or (ultra adj (sonic\$3 or sound\$1))) with (flowmeter\$4 or (flow near2 meter\$6) or flow\$5)) and (power with manag\$8) and ((power or energy or electric\$5) with (conserv\$6 or consum\$7 or save\$1 or saving\$1)) and (load\$4 with volt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 12:51